

DRICONEQ™ RC CONVERSIONS

This package has been assembled to showcase our top quality Driconeq conversions range. We pride ourselves on the fact that all of our products were designed in field and tested by drillers.






Driconeq offers the finest selection of RC equipment, meticulously selected by our experts to effectively suit exploration, deep hole RC, In-pit grade control, Air-core and many other applications; supported by expert knowledge in application, engineering and design.

ERSIONS

RC CONV

INTRODUCING DRICONEQ -
RC CONVERSIONS RANGE



CONTENTS

01	Comacchio	54	DM 45
07	Roc L8	58	Hanjin
13	Titan 600	62	Bburg
19	Atlas Copco E 100	66	Furuwaka DCR 20
24	Cubex 560-580	70	Air Core Combo Set Up
29	KWL 1600	75	Air Core Set Up
34	Sandvik Rc 400	80	Consumables
39	Schramm 660/685	85	Sampling Units
44	Explorac	86	Rotary Heads
49	EDM 2000		

“ Since the installation of the Driconeq Grade Control System we’ve set a new benchmark for in-pit grade control. We’re drilling more meters, rig availability and operating utilization has gone through the roof. The Driconeq system certainly lives up to its reputation. ”

James Baldie

Grade Control Manager, Capital Drilling Egypt




COMACCHIO CONVERSION 01





PART NO.		DESCRIPTION
SU-40050		COMACCHIO
462-100006	1	27° DEFLECTOR, 3 DSC NUT-SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
475-800160	3	HEAD CONVERSION KIT, COMACCHIO1
461-195565	4	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100635	5	H/TUBE, 4 REAM FEMALE TS COMACCHIO4
449-255269	6	O/SUB, 115 ARD BX-PN

**1**

462-100006

27° DEFLECTOR, 3 DSC NUT-SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

475-800160

HEAD CONVERSION KIT, COMACCHIO1

**4**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**5**

460-100635

H/TUBE, 4 REM FEMALE TS COMACCHIO4

**6**


449-255269

O/SUB, 115 ARD BX-PN




Driconeq works together with leading material manufacturers and suppliers in Sweden and Germany, ensuring the very best quality materials are used; providing exceptional value products for a turn key solution to In-Pit Grade Control.

ROC L8 CONVERSION 07



PART NO.		DESCRIPTION
SU-40051		ROC L8
462-100588	1	DOGLEG DEFLECTOR, FLNG-3 DSC (EXTEN)
461-400091	2	BBBD, 50 BORE WITH BODY ONLY
461-100172	3	60S MUD SAMPLE SWL, HEAVY DUTY
464-900325	4	COMPACT DRIVE HEAD, ROC L8 CE
461-195565	5	4½ AIR SWL, 3 1/2 IF BX-115 ARD PN
460-100147	6	H/TUBE, 115 ARDX FEMALE
449-255269	7	O/SUB, 115 ARD BX-PN
474-900308	8	SAMPLE HOSE REEL, ROC L8

**1**

462-100588

DOGLEG DEFLECTOR, FLNG-3 DSC (EXTEN)

**2**

461-400091

BBBD, 50 BORE WITH BODY ONLY

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

464-900325

COMPACT DRIVE HEAD, ROC L8 CE

**5**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**6**

460-100471

H/TUBE, 115 ARDX FEMALE

**7**

449-255269

O/SUB, 115 ARD BX-PN

**8**

474-900308

SAMPLE HOSE REEL, ROC L8

TITAN 600 CONVERSION

13



PART NO.		DESCRIPTION
SU-40053		TITAN 600
462-100104	1	DOG LEG DEFLECTOR, FLNG-3 DSC SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
468-100183	3	60S COMB SWL MK1 COMPLETE
440-259715	4	A/SUB, 115 ARD/X PN-4 IF PN
460-100435	5	H/TUBE, TS TITAN 600
449-255269	6	O/SUB, 115 ARDX BX-DR102 PN

**1**

462-100104

DOG LEG DEFLECTOR, FLNG-3 DSC SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

468-100183

60S COMB SWL MK1 COMPLETE

**4**

440-259715

A/SUB, 115 ARD/X PN-4 IF PN



*World class features
that bring real value.
Driconeq RC conversions
are the choice of drilling
professionals.*

**5**



460-100435

H/TUBE, TS TITAN 600

**6**

449-255269

O/SUB, 115 ARDX BX-DR102 PN



PART NO.		DESCRIPTION
SU-40054		ATLAS COPCO E 100
462-100333	1	27° DEFLECTOR, FLNG-4 KNOCK ON SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
465-100256	3	PEDESTAL SWL, ATLAS COPCO E100
461-145565	4	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100134	5	H/TUBE, 4½ MET FEMALE TS AC E100
449-255269	6	O/SUB, 115 ARD BX-PN

**1**

462-100333

27° DEFLECTOR, FLNG-4 KNOCK ON SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

465-100256

PEDESTAL SWL, ATLAS COPCO E100

**4**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**5**

460-100134

H/TUBE, 4½ MET FEMALE TS AC E100

**6**

449-255269

O/SUB, 115 ARD BX-PN



PART NO.		DESCRIPTION
SU-40055		CUBEX 560-580
462-100017	1	180° DOGLEG DEFLECTOR, 3 DSC-3 DSC
461-100172	2	60S MUD SAMPLE SWL, HEAVY DUTY
471-400094	3	ADAP FLNG, TOP CBX 560/580 RIG
11-2984	4	SUB, 5½ CUBEX PN-3½ IF PN
461-195565	5	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100562	6	H/TUBE, 115 ARDX, CUBEX 560/580 RIG
449-255269	7	O/SUB, 115 ARD BX-PN

**1**

462-100017

180° DOGLEG DEFLECTOR, 3 DSC-3 DSC

**2**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**3**

471-400094

ADAP FLNG, TOP CBX 560/580 RIG

**4**

11-2984

SUB, 5 1/2 CUBEX PN-3 1/2 IF PN

**5**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**6**

460-100562H/TUBE, 115 ARDX, CUBEX
560/580 RIG**7**

449-255269

O/SUB, 115 ARD BX-PN

KWL 1600 CONVERSION

29





PART NO.		DESCRIPTION
SU-40056		KWL 1600
462-100006	1	27° DEFLECTOR, 3 DSC NUT-SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
461-100172	3	60S MUD SAMPLE SWL, HEAVY DUTY
461-195565	4	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100492	5	H/TUBE, 4 REM FEMALE TS COMACCHIO3
449-222791	6	O/SUB, 4½ REM BX-PN

**1**

462-100006

27° DEFLECTOR, 3 DSC NUT-SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**5**

460-100492

H/TUBE, 4 REM FEMALE TS COMACCHIO3

**6**

449-222791

O/SUB, 4½ REM BX-PN

PART NO.		DESCRIPTION
SU-40057		SANDVIK RC 400
462-100416	1	27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
461-100172	3	60S MUD SAMPLE SWL, HEAVY DUTY
464-900209	4	ADAP FLNG, 60S SWL- AIR DRILL HEAD
11-3412	5	SUB, 4½ REG BX-3½ IF PN
461-195565	6	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100662	7	H/TUBE, 115 ARDX FEMALE END T/S SANDVIK RC400
449-255269	8	O/SUB, 115 ARD BX-PN

**1**

462-100416

27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

464-900209

ADAP FLNG, 60S SWL- AIR DRILL HEAD

**5**

11-3412

SUB, 4½ REG BX-3½ IF PN

**6**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**7**

460-100662

H/TUBE, 115 ARDX FEMALE END
T/S SANDVIK RC400

**8**

449-255269

O/SUB, 115 ARD BX-PN

SCHRAMM 660/685 CONVERSION

39



**PART NO.**

SU-40058

DESCRIPTION

SCHRAMM 660/685

462-100229

1

27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD

461-400091

2

BBBD, 50 BORE WITH TOP ADAP FLNG

461-100172

3

60S MUD SAMPLE SWL, HEAVY DUTY

461-195565

4

4½ AIR SWL, 3½ IF BX-115 ARD PN

460-100441

5

H/TUBE, 115 ARDX FEMALE END

449-255269

6

O/SUB, 115 ARD BX-PN

**1**

462-100229

27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**5**


460-100441

H/TUBE, 115 ARDX FEMALE END

**6**

449-255269

O/SUB, 115 ARD BX-PN



PART NO.		DESCRIPTION
SU-40058		EXPLORAC 220
462-100416	1	27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
461-100172	3	60S MUD SAMPLE SWL, HEAVY DUTY
461-195565	4	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100148	5	H/TUBE, 115 ARDX FEMALE TS EXPLORAC
449-255269	6	O/SUB, 115 ARD BX-PN

**1**

462-100416

27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN

**5**

460-100148

H/TUBE, 115 ARDX FEMALE TS EXPLORAC

**6**

449-255269

O/SUB, 115 ARD BX-PN

EDM 2000 CONVERSION

49





PART NO.		DESCRIPTION
SU-40058		EDM 2000
462-100416	1	27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
461-100172	3	60S MUD SAMPLE SWL, HEAVY DUTY
461-195565	4	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100438	5	H/TUBE, 115 ARDX FEMALE END T/S
449-255269	6	O/SUB, 115 ARD BX-PN

**1**

462-100416

27° DEFLECTOR BOX, 3" DS - 4" KNOCK ON SPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

461-100172

60S MUD SAMPLE SWL, HEAVY DUTY

**4**

461-195565

4 1/2 AIR SWL, 3 1/2 IF BX-115 ARD PN

**5**

460-100438

H/TUBE, 115 ARDX FEMALE END T/S

**6**

449-255269

O/SUB, 115 ARD BX-PN



PART NO.		DESCRIPTION
SU-40060		DML
462-100006	1	27° DEFLECTOR, 3 DSC KNOCK ON NUT - 3 DSC
468-100184	2	60S COMBINATION SWL MK2 50NB SPINDLE
464-900693	3	SWIVEL ADAP T/S DML ROTARY HEAD
460-100694	4	H/TUBE TO SUIT DML
440-21077	5	SUB, 5-1/2" REG BOX - DR115 PIN

**1**


462-100006

27° DEFLECTOR, 3 DSC KNOCK ON NUT - 3 DSC

**2**

468-100184

60S COMBINATION SWL MK2 50NB SPINDLE

**3**

464-900693

SWIVEL ADAP T/S DML
ROTARY HEAD

**4**

460-100694

H/TUBE TO SUIT DML

**5**

440-21077

SUB, 5-1/2" REG BOX - DR115 PIN

PART NO.		DESCRIPTION
SU-40029		HANJIN
462-100403	1	27° DEFLECTOR FLNG-3DSC KNOCKONSPUD
461-400091	2	BBBD, 50 BORE WITH TOP ADAP FLNG
465-100541	3	60S TOP ENTRY SAMPLE SWL TS BQ PIPE
440-299854	4	SUB, HANJIN BX 3½ IF PN
461-195565	5	4½ AIR SWL, 3½ IF BX-115 ARD PN
460-100543	6	H/TUBE, 4 REM FEMALE TS HANJIN RIG
449-222855	7	O/SUB, 4½ REM BX-4 REM PN

**1**

462-100403

27° DEFLECTOR FLNG-3DSC KNOCKONSPUD

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

465-100541

60S TOP ENTRY SAMPLE SWL TS BQ PIPE

**4**

440-299854

SUB, HANJIN BX 3½ IF PN

**5**

461-195565

4½ AIR SWL, 3½ IF BX-115 ARD PN


**6**

460-100543H/TUBE, 4 REM FEMALE TS
HANJIN RIG**7**

449-222855

O/SUB, 4½ REM BX-4 REM PN

PART NO. SU-40068		DESCRIPTION BBURG
462-100588	1	DOGLEG DEFLECTOR, FLNG-3 DSC(EXTEN)
461-100015	2	BBBD, 50 BORE WITH TOP ADAP FLNG
468-100184	3	60S COMBINATION SWL MK2 50NB SPINDLE
464-900325	4	CE8
460-100706	5	H/TUBE, TS BBURG RIG
449-222791	6	O/SUB, 4½ REM BX-PN

**1**

462-100588

DOGLEG DEFLECTOR, FLNG-3 DSC(EXTEN)

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

468-100184

60S COMBINATION SWL MK2 50NB SPINDLE

**4**

464-900325

CE8

**5**

460-100706

H/TUBE, TS BBURG RIG

**6**

449-222791

O/SUB, 4½ REM BX-PN

PART NO. SU-40069		DESCRIPTION FURAKAWA DCR 20
462-100017	1	180° DOGLEG DEFLECTOR, 3 DSC-3 DSC
461-100015	2	BBBD, 50 BORE WITH TOP ADAP FLNG
468-100184	3	60S COMBINATION SWL MK2 50NB SPINDLE
464-900325	4	CE8
449-222855	5	H/TUBE, TS DCR 20 FRUKAWA RIG
449-222855	6	O/SUB, 4 REM BX-4 REM PN

**1**

462-100017

180° DOGLEG DEFLECTOR, 3 DSC-3 DSC

**2**

461-400091

BBBD, 50 BORE WITH TOP ADAP FLNG

**3**

468-100184

60S COMBINATION SWL MK2 50NB SPINDLE

**4**

464-900325

CE8

**5**

449-222855

H/TUBE, TS DCR 20 FRUKAWA RIG

**6**

449-222855

O/SUB, 4 REM BX-4 REM PN



PART NO.		DESCRIPTION
SU-40070		AIR CORE COMBO SWIVEL SET UP
462-100227	1	2 DEFLECTOR, TS 73 ARD SET UP
468-100185	2	73 ARD COMB SWL COMPLETE
464-100695	3	SWIVEL ADAPTOR
460-100696	4	H/TUBE T/S 73 ARD
449-255274	5	O/SUB, 73 ARD BX-PN

**1**


462-100227

2 DEFLECTOR, TS 73 ARD SET UP

**2**

468-100185

73 ARD COMB SWL COMPLETE

**3**

464-100695

SWIVEL ADAPTOR

**4**

460-100696

H/TUBE T/S 73 ARD



5

449-255274

O/SUB, 73 ARD BX-PN





PART NO.		DESCRIPTION
SU-40071		AIR CORE SWIVEL SET UP
462-100227	1	2 DEFLECTOR, TS 73 ARD SET UP
465-100261	2	50S TOP ENTRY SWL 2 KNOCK ON TOP
464-900697	3	SWIVEL ADAPTOR
461-100174	4	73 ARD AIR SWL (STD.)
460-100698	5	H/TUBE T/S 73 ARD
449-255274	6	O/SUB, 73 ARD BX-PN

**1**


462-100227

2 DEFLECTOR, TS 73 ARD SET UP

**2**

465-100261

50S TOP ENTRY SWL 2 KNOCK ON TOP

**3**

464-900697

SWIVEL ADAPTOR

**4**

461-100174

73 ARD AIR SWL (STD.)

**5**

460-100698

H/TUBE T/S 73 ARD

**6**

449-255274

O/SUB, 73 ARD BX-PN

DESCRIPTION	QUANTITY	PART NO.
<i>RC CONVERSION 3" CONSUMABLES</i>		
3 DS/DSC HOSE TAIL	2	462-400006
3 DS KNOCK ON NUT	2	464-900201
HOSE CLAMP "3 B39	2	474-900120
HOSE SOCK "3 B9	2	464-900319
3" SAMPLE HOSE 600PSI 20M	1	462-400027
WEAR BLOCK DEFLECTOR	2	464-900134




462-400006

3 DS/DSC HOSE TAIL



464-900201

3 DS KNOCK ON NUT



474-900120

HOSE CLAMP "3 B39



464-900319

HOSE SOCK "3 B9



464-900448

2" SAMPLE HOSE 600PSI 20M



464-900134

3" SAMPLE HOSE HARD WALL 600PSI 20M




474-900177

4" SAMPLE HOSE 600PSI 20M




464-900134

WEAR BLOCK DEFLECTOR



463-600307

PROGRADEX EL 850



463-100561

TRUSTPLIT



464-900325

CE 8

Specialised and standard products are available
for DTH, ROTARY, HDD and RC drilling methods.
For all types of drill rigs, in all locations.

Contact us for more information:
www.driconeq.com



©Driconeq 2017