

KUHN

HIGH DUMP BUCKET

Selection, Innovation, Performance

Your One-Stop Shop for Hydraulic Tools and Attachments



INDUSTRIAL TOOLS & ATTACHMENTS

V PALADIN STANLEY LABOUNTY & PENGO

BRADCO[®] HIGH-DUMP BUCKET







The Bradco[®] High-Dump line of buckets allow users to increase the dumping height of their machine by 74 inches and load material into trucks, feed bins and reach other landing heights previously not obtainable with a standard bucket. This light material high-dump bucket exceeds all competitive units by offering increased capacities, cushioned hydraulics, 114° of roll out and the most robust design in the industry. These features translate to higher productivity and faster cycle times.


High Dump Bucket Features

- Robust industry leading design
- Increases dump height by 74" compared to standard buckets
- Dual cushion cylinders for smooth operation and rapid cycle times
- 1.5" diameter pivot pins from highstrength material

	60"	72"	84"
Part Number	122651	122619	122657
Weight (lbs)	1,000	1,145	1,250
Capacity (cu/yd)	1.00	1.19	1.44
A. Width (in)	60.75	73	84.75
B. Height (in)	32.38	32.38	32.38
C. Depth (in)	49.85	49.85	49.85
D. Rotation (deg)	114°	114°	114°
Pin Size (in)	1.25	1.25	1.25
Cylinder Boar (in)	2.5	2.5	2.5
Cylinder Rod Diameter (in)	1.5	1.5	1.5







96"
122660
1,350
1.68
97.5
32.38
49.85
114°
1.25
2.5
1.5

Optional Accessories

BOLT ON EDGES:

- 60": Part No. 15025, 7 HOLES X 9.00 SPACING
- 72": Part No. 15028, 7 HOLES X 11.00 SPACING
- 84": Part No. 16183, 9 HOLES X 9.75 SPACING
- 96": Part No. FFC10084, 16 HOLES X 6.00 SPACING



*Actual height advantage may vary depending on dimensions of standard bucket and make/model of prime mover.



COMPLETE SOLUTIONS AND SERVICE FOR HEAVY AND COMPACT EQUIPMENT



6430 SE Lake Rd. Portland, OR 97222 Tel. 833.723.1843 Fax 503.652.1780

www.stanleyinfrastructure.com 1120

