

1 of 4 Super Mud Dry

MATERIAL SAFETY DATA

Revised January 1, 2008

1. CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

PRODUCT NAME : Super Mud Dry

SYNONYMS : None

CHEMICAL FAMILY : Anionic polyacrylamide copolymer

MOLECULAR FORMULA : Polymer MOLECULAR WEIGHT : Polymer

PDSCo, P.O. BOX 507, 105 WEST SHARP STREET, EL DORADO, AR 71730 USA

EMERGENCY PHONE: For emergency call PDSCo: 1 (800) 243-7455

2. COMPOSITION/INFORMATION ON INGREDIENTS

OSHA REGULATED COMPONENTS

COMPONENT CAS. NO. % TWA/CEILING REFERENCE

No permissible Exposure Limits (PEL/TLV) have been established by OSHA or ACGIH

3. HAZARDS INDENTIFICATION

EMERGENCY OVERVIEW

APPEARANCE AND ODOR : Off-white granular solid

STATEMENTS OF HAZARD : IMPORTANT! SPILLS OF THIS PRODUCT ARE VERY SLIPPERY

WHEN WET

POTENTIAL HEALTH EFFECTS

EFFECTS OF OVEREXPOSURE:

This product has an acute oral (rat) LD50 and acute dermal (rabbit) LD50 of > 2.5 g/kg and >10.0 g/kg respectively. This product produced no eye irritation and no dermal irritation during primary irritation tests in rabbits. The inhalation of the vapors is not likely to cause adverse health effects.

4. FIRST AID MEASURES

In case of skin contact, wash affected areas of skin with soap and water.

In case of eye contact, immediately irrigate with plenty of water for 15 minutes.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT : Not applicable

FLAMMABLE LIMITS

(% BY VOL) : Not applicable AUTOIGNITION TEMP : Not available DECOMPOSITION TEMP : Not available

EXTINGUISHING MEDIA AND FIRE FIGHTING INSTRUCTIONS

As with many solids, any dust that is generated may be explosive if mixed with air in critical proportions and in the presence of a source of ignition. Use water, carbon dioxide or dry chemical to extinguish fires. Wear self-contained, positive pressure breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Spilled material becomes very slippery when wet. Sweep up spills and place in a waste disposal container. Flush the area thoroughly with water and scrub to remove residual. If slipperiness remains, apply more drysweeping compound. Do not flush large quantity of the material to sewer.

7. HANDLING AND STORAGE

Spills should be scooped up or wiped up immediately, and spill area flushed with water.

Maintained good housekeeping to control dust accumulations.

To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum container or equipment.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT (PPE)

Engineering controls are not usually necessary if good hygiene practices are followed. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. Impervious gloves are recommended to prevent prolonged skin contact. For operations where eye or face contact can occur, eye protection is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR : Off-white granular solid

BOILING POINT : Not applicable MELTING POINT : Not available VAPOR PRESSURE : Not applicable SPECIFIC GRAVITY : 48 - 55; lb/ft³ VAPOR DENSITY : Not applicable % VOLATILE (BY WT) : 8 - 12; (water)

pH : 7 - 9; (aqueous solution)

SATURATED IN AIR (BY VOL) : Not applicable EVAPORATION RATE : Not applicable SOLUBILITY IN WATER : Limited by viscosity

10. STABILITY AND REACTIVITY

STABILITY : Stable
CONDITIONS TO AVOID : None known
POLYMERIZATION : Will not occur
CONDITIONS TO AVOID : None known

INCOMPATIBLE MATERIALS : Strong oxidizing agents

HAZARDOUS DECOMPOSITION: Thermal decomposition or combustion may produce carbon

PRODUCTS monoxide, carbon dioxide, ammonia, and/or oxides or nitrogen.

11. TOXICOLOGICAL INFORMATION

Toxicological information on the OSHA regulated components of this product is as follows: Not Applicable

12. ECOLOGICAL INFORMATION

LC50

BLUEGILL, 96 HOUR: 180 mg/L TROUT, 96 HOUR: 130 mg/L DAPHNIA, 48 HOUR: > 1000 mg/L

OCTANOL/H₂O PARTITION COEF.: Not available

13. **DISPOSAL CONSIDERATIONS**

Disposal must be made in accordance with applicable governmental regulations.

TRANSPORT INFORMATION 14.

		D.O.T SHIPPING INFORMATION	IMO SHIPPING INFORMATION
SHIPPING NAME	:	Not applicable/Not Regulated	Not applicable/Not Regulated
HAZARD CLASS/ PACKING GROUP	:	Not applicable	Not applicable
UN NUMBER	:	Not applicable	Not applicable

UN NUMB IMDG PAGE Not applicable Not applicable D.O.T HAZARDOUS (Product Reportable Quantity) Not applicable **SUBSTANCES** Not applicable

TRANSPORT LABEL None required None required

REQUIRED

ICAO/IATA TRANSPORT CANADA

SHIPPING NAME Not applicable/Not Regulated Not applicable/Not Regulated

HAZARD CLASS Not applicable Not applicable SUBSIDIARY CLASS Not applicable Not applicable UN / ID NUMBER Not applicable Not applicable PACKING GROUP Not applicable Not applicable TRANSPORT LABEL None required None required

REQUIRED

PACKING INSTRUCTIONS Passenger Not applicable Not applicable

> Cargo Not applicable

MAX NET QTY Passenger Not applicable Not applicable

> Not applicable Cargo

ADDITIONAL TRASPORT INFORMATION

TECHNICAL NAME (N.O.S.) Not applicable

15. REGULATORY INFORMATION

INVENTORY INFORMATION

US TSCA: This product is manufactured in compliance with all provisions of the Toxic

Substances control Act, 15 U.S.C.

CANASA DSL : Components of this product have been reported to Environment Canada in

accordance with subsection 25 of the Canadian Environmental Protection Act and

are included on the Domestic Substances List.

EEC EINECS : All components of this product are included on the European Inventory of Existing

Chemical Substances [EINECS] in compliance with Council Directive 67/548/EEC,

Amended 79/831/EEC.

OTHER ENVIRONMENTAL INFORMATION

The following components are defined as toxic chemicals subject to reporting requirements of Section 313 of Title III and of 40 CFR 372 or subject to other EPA regulations.

COMPONENT CAS. NO. % TPQ(lbs) RQ (lbs) S313 RCRA TSCA 12B

This product does not contain any components regulated under these sections of the EPA

PRODUCT CLASSIFICATION UNDER SECTION 311 OF SARA

Not applicable under SARA TITLE III

16. OTHER INFORMATION

NFPA HAZARD RATING (National Fire Protection Association)

Fire FIRE : Materials that must be preheated before ignition can occur.

1 HEALTH : Materials which on exposure under fire conditions would offer

Health 0 0 Reactivity no hazard beyond that of ordinary combustible material.

REACTIVTY : Materials which in themselves are normally stable, even under

Special fire exposure conditions, and which are not reactive with water.

REASON FOR ISSUE:

Revised Section 3

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.